

XL-BOXX ADR

Material no.: 6000013894 | Matchcode: XLB ADR | EAN code: 4045294908409



- » Well-thought-out and spacious machine and transport case
- » Compatible with the entire L-BOXX system
- » Certified dangerous goods container in accordance with ADR
- » Compatible with Sortimo van racking systems
- » Includes lid insert

Materials & Colour

Material:	ABS, PA6
Colour:	RAL 7016 Anthracite grey, RAL 9017 Traffic black

Dimensions

External dimensions:	607 x 395 x 179 mm
Internal dimensions:	570 x 347 x 133 mm
Usable space:	0,198 m ²

Technical details

Weight:	3,23 kg
Maximum payload:	25 kg
Maximum lid load:	100 kg
Temperature resistance:	-20 °C to 80 °C
Water resistance:	IPX4 - Protection against splash water

Conformity

REACH - Conformity:	EG 1907/2006
PAH - Conformity:	EU 1272/2013

XL-BOXX ADR

Material no.: 6000013894 | Matchcode: XLB ADR | EAN code: 4045294908409

Structure & Function



- 1. Body
- 2. Lid
- 3. Front handle
- 4. Snap lock

Accessories

	Material no.	Description	Matchcode	EAN code
	6000014074	mySortimo Inlay XL-BOXX ADR 110mm	INLAY XLBOXX ADR	4045295012099
	6000014073	mySortimo Inlay XL-BOXX 110mm	INLAY XLBOXX 110	4045295012075
	6000014068	XL-BOXX Divider-Set	XLB TW SET	4045295004650
	6000014069	L-BOXX Micro	LB MICRO	4045295004674
	1000011130	Document card L-BOXX G4	LB DK G4	4045294733438
	1000011120	Tool card 1 L-BOXX G4	LB WK1 G4	4045294733346

Spare parts

Material no.	Description	Matchcode	EAN code
6000015439	ET XL-BOXX carry handle black	ET XLB TB SW	4014599062000
6000015440	ET XL-BOXX ADR snap locks l/r.	ET XLB ADR VS	4014599062024

XL-BOXX ADR

Material no.: 6000013894 | Matchcode: XLB ADR | EAN code: 4045294908409

Description

Thanks to its large storage volume, the XL-BOXX ADR is excellent for the transport of machines and tools. Battery-operated cordless tools are now widely used as electrical hand-held power tools. The XL-BOXX ADR is therefore approved as a transport container for the transport of dangerous goods in accordance with the ADR, RID, IMDG Code, UN Recommendations on the Transport of Dangerous Goods, ICAO-TI and IATA-DGR. However, the approval only applies when used in conjunction with the lid insert supplied and a specified foam insert. This can be quickly and simply selected through our *mySortimo* inlay service and individually adapted to the goods you need to transport. The maximum usable internal dimensions are 525 x 302 x 109 mm³ and the gross weight of the XL-BOXX may not exceed 12.6 kg (≈ 9 kg load).

The concept of the Sortimo Ecosystem is also a top priority with the XL-BOXX. This is particularly evident due to its compatibility with other BOXXes. The entire L-BOXX family can be connected to the XL-BOXX and efficiently transported together. This is possible with Sortimo BOXXes as well as with our partner Hilti's size 20 cases.

We reserve the right to make changes in the interest of technical progress, as well as correcting printing errors and mistakes. Pictures are similar, decorative material not included. With the publication of this data sheet, previous editions lose their validity. Version: 01.09.2025